

## 808nm Micro-channel Water-cooled Vertical Laminated Stack

### Introduction

Laser Diode Micro-channel water-cooled vertical laminated array, which can achieve continuous high power output, is widely applied in laser pumping, cutting and medical, etc.



## Parameters (25°C)

Micro-channel Water-cooled Vertical Laminated Stack					
Parameter		Unit	LDAC2-0808-****		
Optical Parameter	Operation Model	-	CW		
	Center Wavelength	nm	808 ± 5		
	Output Power/Bar	W	40	60	100
	Bar Qty.	bar	5/9/16	5/9/16	5/9/16
	Bar Space	mm	1.8	1.8	1.8
	Spectral Width	nm	< 5	< 5	< 5
	Fast Axis Divergence	deg	< 35	< 39	< 35
	Slow Axis Divergence	deg	< 10	< 8	< 10
Electrical Parameter	Operating Voltage/Bar	V	< 2.0	< 2.0	< 1.9
Thermal Parameter	Max. Inlet Pressure	psi	65		
	Cooling rate/Bar	l/min	≥ 0.3		
	Cooling Medium Particle size	μm	≤ 15		
	Cooling Medium Conductivity	μs/cm	5 ~ 10		
	Operating Temperature	°C	15 ~ 35		
	Storage Temperature	°C	-10 ~ 60		




Add: Shahe Industrial Park, Changping District, Beijing, ChinaTel:+86-10-6076 9887Fax:+86-10-6076 9887-699Web:www.htoe.com.cnEmail:sales@htoe.com.cn





# Package Information



### Notice

- 1. Item model notice: LDAQ2( item model)-8080(center wavelength)-\*\*\*\*(output power)
- 2. Package data is only for reference, which can be customized as client's design drawing.
- 3. Please make sure laser diode is operated within  $15-35^{\circ}$ C, as higher temperature will cause increased threshold current, lower exchange rate and accelerate the aging.
- 4. Please take measure to avoid of condensation, which will cause aging of laser diode.
- 5. For more information, please contact Hi-Tech Optoelectronics Co., Ltd.



Add: Shahe Industrial Park, Changping District, Beijing, ChinaTel:+86-10-6076 9887Fax:+86-10-6076 9887-699Web:www.htoe.com.cnEmail:sales@htoe.com.cn

